

# NewLife™

LIQUID POT HOLE FILLER

## PRODUCT DATA SHEET

### DESCRIPTION

NEW LIFE™ Liquid Pot Hole Filler is a blend of asphalt and polymers used to create a liquid rubberized pot hole filler. NEW LIFE™ Liquid Pot Hole Filler sets by mixing NEW LIFE™ PART A with NEW LIFE™ PART B. NEW LIFE™ Liquid Pot Hole Filler is self-priming and self-leveling. It will usually set in 10 to 15 minutes and is firm enough for traffic after 25 to 35 minutes depending on the weather. Painting the surface with NEW LIFE™ Paint will allow you to match the color to its surroundings. NEW LIFE™ Liquid Pot Hole Filler comes in standard black.

### RECOMMENDED USES

NEW LIFE™ Liquid Pot Hole Filler may be used on bridge joints, tarmacs, and to fill voids or cracks on asphalt and concrete roads. It can repair warehouse concrete floors and almost any asphalt or concrete composite material. It is also able to repair spalling concrete surfaces 3/8" deep or more.

### BENEFITS

- Modified Asphalt Polymer Technology
- Can be applied in warm or cold weather
  - Non-Toxic
  - Self-Priming
  - Non-Hazardous
  - Fast-Drying
  - Self-Leveling
  - Can Be Painted

DOT CLASSIFICATION: NON HAZARDOUS

### STORAGE REQUIREMENTS

This product can FREEZE and must be stored in temperatures above 40° Fahrenheit.

### TECHNICAL DATA

RESIN TYPE:	Proprietary Polymer Asphalt
COVERAGE:	200 cubic inches per gallon
TENSILE:	4,000 psi after 24 hours ASTM D-412
ELONGATION:	Flexible ASTM D-412
COLOR:	Black
PERMEABILITY:	0.24 Perms ASTM E-96
SOLIDS:	93 - 97% +/- 2% ASTM D-1353
WEIGHT:	6.5 - 7 lbs. per gallon +/- 2%
VISCOSITY:	500 to 1,000 cps. (Brookfield)
FLASH:	None ASTM D-1310
POT LIFE:	2 minutes (up to one hour available)
STORAGE:	1 year prior to activation in unopened container. Store between 40° F and 100° F
SET TIME:	Within 10 - 15 minutes
FULL CURE:	36-72 hours
CLEAN-UP:	Wet Ingredients: soap and water Dry Ingredients: citrus cleaner
ADHESION:	Pass (concrete, asphalt) ASTM D-413
TRAFFIC:	Between 25 to 35 minutes after pour

### CAUTIONS

Avoid prolonged contact with skin. Do not take internally. Do not induce vomiting. Call a physician. Keep containers covered when not in use. Clean up with soap and water and citrus cleaners as needed.